


TouchWo® 23.8" Touch PC

Model : TD238

Views & Dimensions



Features

- **24/7 Commercial Use**

- Industrial-grade Power Supply
- 30,000-hour extended life LCD display

- **Wall mounted/desktop stand/embedded etc**

- **Stylish Appearance**

- Industry-leading ultra-narrow screen bezel-23.5mm
- 17mm full aluminum alloy frame

- **Surface IP65 waterproof**

CE FC RoHS


Tech Specs

LCD Panel	Screen diagonal	23.8inch	Touch Panel	Touch technology	PCAP
	Physical resolution	1920*1080		Response time	<5ms
	Aspect ratio	16:9		Touch points	10 points standard
	Display active screen size (mm)	529*298.5		Touch effective recognition	>1.5mm
	Colours displayed	16.7M		Scanning Frequency	200Hz
	Brightness (cd/m2)	250		Scanning accuracy	4096 * 4096
	Contrast	1000:1		Working Current/Voltage	180Ma/DC+5V±5%
	Visual Angle H/V (°)	89/89/89/89		Surface Hardness	Mohs class 7 explosion-proof glass
	Backlight Lifetime (hours)	LED 30,000			
Refresh Rate	60 Hz				
Operation Environment	Operation Temperature	0°C-50°C	Dimension	Machine(cm)	57.6 (W) *35.2 (H) *4.41 (T)
	Operation Humidity	10% - 80%		Package(cm)	64 (W) * 45 (H) *14.5 (T)
	Storage Temperature	-.5°C-60°C		Net weight	7.98kg
	Storage Humidity	10% - 85%		Gross weight	10.2kg

Optional				
PC System- Windows	CPU	Intel Celeron® J6412	Intel® Core™ i5-8Gens	Intel® Core™ i7-10Gens
	Graphic GPU	Intel® UHD Graphics	Intel® Iris® Plus Graphics 645	Intel® UHD Graphics
	Audio	HD Audio: ALC269	HD Audio: ALC269	HD Audio: ALC269
	Memory	DDR4-2666MHz-SODIMM-4G	DDR4-2666MHz-SODIMM-8G	DDR4-2666MHz-SODIMM-16G
	Storage	mSATA-128GB	mSATA-256GB	mSATA-512GB
	Network	10/100/1000M RJ45, 802.11a/b/g/n/ac Wifi		
	Pre-installed OS	Windows 10 /11/Linux		

Power supply parameters	Power Input	100-240V AC 50/60Hz	Manual	* 1
	Power Output	DC 12V 5A	Wall mount bracket	* 1
	Standby power consumption	≤0.5W	WIFI antenna	* 1
	Overall power consumption	<60W	Power Adapter&cable	* 1
				Included in the Delivery

External Connectors



RJ45 Ports * 1

USB * 4

VGA * 1

Optional to extend USB(Max.*6),RS232*2

Power Socket * 1

HDMI out * 1

Audio in&out * 1

Use Case

