


TouchWo[®]

10.1" Touchscreen Monitor

Model : JD101B

Views & Dimensions



Features

- **Stylish Appearance**

New casting mold design , thickness only 27mm

Optical bonded PCAP

- **Wall mounted/desktop stand/embedded etc**

- **Full Aluminum Chassis**


Corrosion and oxidation resistance

- **Surface IP65 waterproof**

CE FC RoHS


Tech Specs

LCD Panel	Screen diagonal	10.1 inch	Touch Panel	Touch technology	PCAP
	Physical resolution	1280*800/(1920*1200) Optional		Response time	<5ms
	Aspect ratio	16:9		Touch points	10 points standard
	Display active screen size (mm)	217.6(W)*136.5(H)		Touch effective recognition	>1.5mm
	Colours displayed	16.7M		Scanning Frequency	200Hz
	Brightness (cd/m2)	250		Scanning accuracy	4096 * 4096
	Contrast	1000:1		Working Current/Voltage	180Ma/DC+5V±5%
	Visual Angle H/V (°)	175/175		Surface Hardness	Mohs class 7 explosion-proof glass
	Backlight Lifetime (hours)	LED 15,000			
	Refrash Rate	60 Hz			
Operation Environment	Operation Temperature	0°C-50°C	Dimension	Machine(cm)	257.4 (W) × 17.79 (H) × 3.23 (D)
	Operation Humidity	10% - 80%		Package(cm)	36 (W) × 28.3 (H) × 8.3 (T)
	Storage Temperature	-5°C-60°C		Net weight	0.8kg
	Storage Humidity	10% - 85%		Gross weight	2kg



Power supply parameters	Power Input	110-240V AC 50/60Hz	Manual	* 1
	Power Output	DC 12V3A	Wall mount bracket	* 1
	Standby power consumption	≤0.5W	Power Adapter&cable	* 1
	Overall power consumption	<25W		

Included in the Delivery



USB	* 1	HDMI out	* 1	Audio in&out	* 1	VGA	* 1
Power Socket	* 1						

Use Case

