


TouchWo®
10.1" Touchscreen PC-X86
Model : JD101B

Views & Dimensions



Features

- **Stylish Appearance**

New casting mold design , thickness only 27mm

Optical bonded PCAP

- Wall mounted/desktop stand/embedded etc

- **Full Aluminum Chassis**

Corrosion and oxidation resistance

- Surface IP65 waterproof




Tech Specs				
LCD Panel	Screen diagonal	10.1 inch	Touch technology	PCAP
	Physical resolution	1280*800	Response time	<5ms
	Aspect ratio	16:9	Touch points	10 points standard
	Display active screen size (mm)	135.36(W)*216.576(H)	Touch effective recognition	>1.5mm
	Colours displayed	16.7M	Scanning Frequency	200Hz
	Brightness (cd/m2)	250	Scanning accuracy	4096 * 4096
	Contrast	1000:1	Working Current/Voltage	180Ma/DC+5V±5%
	Visual Angle H/V (°)	175/175		
	Backlight Lifetime (hours)	LED 15,000	Surface Hardness	Mohs class 7 explosion-proof glass
	Refrash Rate	60 Hz		

Operation Environment	Operation Temperature	0℃-50℃	Machine(cm)	25.74 (W) × 17.79 (H) × 3.23 (T)
	Operation Humidity	10% - 80%	Package(cm)	36 (W) × 29 (H) × 8.8 (T)
	Storage Temperature	-5℃-60℃	Net weight	1.02kg
	Storage Humidity	10% - 85%	Gross weight	2.5kg

PC System- Windows	CPU	N100 (Alder Lake-N)	
	Graphic GPU	Intel® UHD Graphics	
	Audio	-	
	Memory	4G (8G optional)	
	Storage	mSATA-64GB/128GB/256GB/512GB	
	Network	10/100/1000M RJ45, 802.11a/b/g/n/ac Wifi	
	Pre-installed OS	Windows 10 /11/Linux	

Power supply parameters				
Power supply parameters	Power Input	110-240V AC 50/60Hz	Manual	* 1
	Power Output	DC 12V3A	Wall mount bracket	* 1
	Standby power consumption	≤0.5W	WIFI antenna	* 1
	Overall power consumption	<25W	Power Adapter&cable	* 1



RJ45 Ports	* 1	USB	* 3	Type-C	* 1	Power button	* 1
Power Socket	* 1	HDMI out	* 1	Audio in&out	* 1		

Use Case

