



TouchWo®

21.5" Touch Screen Monitor

Model : JD215B

Views & Dimensions



Features

- **Stylish Appearance**

New casting mold design , thickness only 27mm

Optical bonded PCAP

- **Wall mounted/desktop stand/embedded etc**

- **Full Aluminum Chassis**

Corrosion and oxidation resistance

- **Surface IP65 waterproof**

CE FC RoHS

Tech Specs

LCD Panel		Touch Panel	
Screen diagonal	21.5 inch	Touch technology	PCAP
Physical resolution	1920*1080	Response time	<5ms
Aspect ratio	16:9	Touch points	10 points standard
Display active screen size (mm)	477.6 (W) *269.1 (H)	Touch effective recognition	>1.5mm
Colours displayed	16.7M	Scanning Frequency	200Hz
Brightness (cd/m2)	250	Scanning accuracy	4096 * 4096
Contrast	1200:1	Working Current/Voltage	180Ma/DC+5V±5%
Visual Angle H/V (°)	175/175	Surface Hardness	Mohs class 7 explosion-proof glass
Backlight Lifetime (hours)	WLED 30,000		
Refrash Rate	60 Hz		

Operation Environment		Dimension	
Operation Temperature	0°C-50°C	Machine(cm)	51.3 (W) ×31.09 (H) ×32.3 (T)
Operation Humidity	10% - 80%	Package(cm)	58 (W) ×44 (H) ×14.5 (T)
Storage Temperature	-5°C-60°C	Net weight	3.2kg
Storage Humidity	10% - 85%	Gross weight	4.6kg



Power supply parameters

Power Input	110-240V AC 50/60Hz	Included in the Delivery	Manual	* 1
Power Output	DC 12V3A		Wall mount bracket	* 1
Standby power consumption	≤0.5W		WIFI antenna	* 1
Overall power consumption	<25W		Power Adapter&cable	* 1



TOUCH DC12V DP HDMI VGA Audio earphone



customize logo

USB	* 1	HDMI out	* 1	Audio in&out	* 1	VGA	* 1
Power Socket	* 1	DP	* 1	earphone	* 1		

Use Case

