


TouchWo[®]

85" Touch Monitor

Model : RZ85B

Views & Dimensions



Features

- **24/7 Commercial Use**

Industrial-grade Power Supply

30,000-hour extended life LCD display

- **Wall mounted / Floor stand etc**

- **Stylish Appearance**

Industry-leading ultra-narrow screen bezel

Full aluminum alloy frame

- **Surface IP65 waterproof**

CE FC RoHS

Tech Specs


LCD Panel		Touch Panel	
Screen diagonal	85 inch	Touch technology	Infrared
Physical resolution	3840*2160	Response time	<5ms
Aspect ratio	16:09	Touch points	20 points standard
Display active screen size	1872 * 1053 mm	Touch effective recognition	≤15ms
Colours displayed	16.7M	Scanning frequency	200Hz
Brightness (cd/m2)	350	Scanning accuracy	32767×32767
Contrast	5000:1	Working current/voltage	180Ma/DC+5V±5%
Visual angle H/V (°)	178/178	Surface hardness	Mohs class 7 explosion-proof glass
Backlight lifetime (hours)	LED 50,000		
Refrash rate	4K-30HZ		

Operation Environment		Dimension	
Operation Temperature	0°C-50°C	Machine(cm)	195.4 (L) ×115.3 (W) ×9.3 (H)
Operation Humidity	10% - 80%	Package(cm)	200 (L) ×129 (W) ×21.5 (H)
Storage Temperature	-5°C-60°C	Net weight	63 KG
Storage Humidity	10% - 85%	Gross weight	74 KG

Power supply parameters

Power Input	110-240V AC 50/60Hz		Manual	* 1
Power Output	DC 12V5A	Included in the Delivery	Wall mount bracket	* 1
Standby power consumption	≤0.5W		Power & USB & HDMI cable	* 1
Overall power consumption	<400W		Remote control	* 1

External Connectors



Touch output	* 1	PC audio input	* 1	VGA	* 1	Audio output	*1
USB	* 1	HAMI input	* 1	RF	*1	AV input	*1

Use Case

