8" Touch Pc-X86

Model： DM080WF1

Views



Features

- **24/7 Industrial Use**

  Industrial-grade Power Supply

  Screen sizes ranging from 8" to 23.8"

- Panel mounted/VESA mounted

- **Industrial Grade**

  Superior Heat Dissipation

  High ESD protection level

- IP65 Front Protection

CE FC RoHS


Tech Specs


LCD Panel	**Screen diagonal**	8 inch	
	Physical resolution	1280*800	
	Aspect ratio	16:10	
	Display active screen size (mm)	173.2 x 108.6 mm	
	Colours displayed	16.7M , 52% (CIE1931)	
	Brightness (cd/m2）	≥250cd/m2	
	Contrast	≥ 800：1	
	Visual Angle H/V (°)	85/85/85/85(Typ.)(CR≥10)	
	Backlight Lifetime (hours)	LED 15000	30000 options
	Refresh Rate	60 Hz	
Touch Panel	**Touch technology**	PCAP	
	Response time	<5ms	
	Touch points	10 points standard	
	Touch effective recognition	>1.5mm	
	Scanning Frequency	200Hz	
	Scanning accuracy	4096 * 4096	
	Working Current/Voltage	180Ma/DC+5V±5%	
	Surface Hardness	Mohs class 7 explosion-proof glass	
Operation Environment	**Operation Temperature**	0℃-50℃	-20～70℃ optional
	Operation Humidity	10% - 80%	
	Storage Temperature	-5℃-60℃	
	Storage Humidity	10% - 85%	
	EMC	CE/FCC Class B	
Dimension	**Machine(cm)**	21.9（W）*15.44（H）* 4.43（T）	
	Embedded opening size(cm)	20.9（W）*14.44（H）	
	Net weight	1.35 KG	
	Gross weight	2.9KG	
	Package Size(mm)	390*320*95 mm	

Power supply parameters	**Power Input**	110-240V AC 50/60Hz	**Included in the Delivery**	**Manual**	* 1
	Power Output	DC 12V3A		**Panel mount Sets**	* 1
	Standby power consumption	≤0.5W		**WIFI antenna**	* 1
	Overall power consumption	<36W		**Power Adapter&cable**	* 1
	EMC	CE/FCC Class B			

PC System-Windows	**CPU**	Intel® Core™ **i5-7300U**	N5095	Industrial J6412
	Graphic GPU	Intel® HD Graphics 620	Intel® UHD Graphics	Intel® UHD Graphics for 10th Gen Intel® Processors
	Memory	DDR4-2666MHz-SODIMM-8G/16G/32G	DDR4-2666MHz-SODIMM-8G/16G/32G	DDR4-2666MHz-SODIMM-8G/16G/32G
	Storage	mSATA-128G/256GB/512G NVME optional	mSATA-128G/256GB/512G NVME optional	mSATA-128G/256GB/512G NVME optional
	Network	10/100/1000M RJ45, 802.11a/b/ g/n/ac Wifi	10/100/1000M RJ45, 802.11a/b/ g/n/ac Wifi	10/100/1000M RJ45, 802.11a/b/ g/n/ac Wifi
	Pre-installed OS	Windows 10 /11/Linux	Windows 10 /11/Linux	Windows 10 /11/Linux
				Wide voltage input **DC12-24V**


External Connectors







RJ45 Ports	* 1 (2 optional)	**Audio I/O**	* 1	**USB**	*4	**WIFI**	* 1
DC In	2.5mm DC12V*1 /2P Phoenix Termi	**HDMI out**	* 1	**Earphone/MIC interface**	*1/1	**COM**	2 * RS-232(1 * RS-485 optional)

Dimension&Installation






Step 1



step 2



step 3

Use Case

